

Work Order ID 61086

Thursday, August 05, 2010 1:27:52 PM



Page 1

Item ID: D3935-1

Revision ID:

Accept



Item Name: Pylon Wall Protector, LH

Setup Start



Start Date: 8/5/2010 Start Qty: 1.00

Stop



Required Date: 8/12/2010 Req'd Qty: 1.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan: H

Date: 10-8-05

Tooling:

Date:

Run

Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3935

B

100



Waterjet

FLOW CNC Waterjet

0.00

Memo

1-Cut as per Dwg D3935

Dwg Rev: B

Prog Rev: B

2- Deburr if necessary

0.00

10-8-9

8/10/08/10

(2)

110



QC

Quality Control

QC2- Inspect parts off machine FAI/FAIB

0.00

Memo

0.00

10-8-9

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 61086

Thursday, August 05, 2010 1:27:52 PM



Page 2

Item ID: D3935-1

Revision ID:

Accept

Item Name: Pylon Wall Protector, LH

Start Date: 8/5/2010 Start Qty: 1.00

Required Date: 8/12/2010 Req'd Qty: 1.00

Reference:

Cust Item ID:
Customer:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Setup Start

Stop

Run

Start

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

120
QC

Quality Control

QC8- Inspect parts - second check

Memo

0.00

0.00

8/10/08/10

②
7

130
Packaging

Packaging

Identify as per dwg & Stock Location: _____

Memo

0.00

0.00

10/8/10 51 (50)

140
QC

Quality Control

QC21- Final Inspection - Work Order Release

Memo

0.00

0.00

10/08/10

ME
10-8-10

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, August 05, 2010 1:27:56 PM

Work Order ID: 61086

Parent Item: D3935-1

Parent Item Name: Pylon Wall Protector, LH

Page 1

Start Date: 8/5/2010

Start Qty: 1.00

Required Date: 8/12/2010

Required Qty: 1.00

Comments:

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MLEXS.125-F60029-04		Purchased	No			100	sf	3,041.706	8.69	9.147368			
GE PLASTICS LEXAN SHEET													

Location

MAT

112585

114032

115261

Loc Qty

3041.7068

155.783

467.9238

2418

Loc Code

112585

10-8-9

2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

0.125
REF



D3935-1 PYLON WALL PROTECTOR, LH
(TEXTURED SIDE SHOWN)

NOTES:

- 1) MATERIAL: F60029-GY3778 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE) 0.125 THICK
REF DART SPEC MLEXS.125-F60029-04
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3935-1" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 5.79 lbs
- 8) CHECK PER TEMPLATE DT8922

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *61086*
1108-05

RELEASE
2009-10-22
MD

B	ADD -3, -4 (SHEET 3, 4)			
A	NEW ISSUE		HS	09.08.19
REV.		DESCRIPTION	BY	DATE
DESIGN				
DRAWN				
CHECKED				
MFG. APPR.				
APPROVED				
DE APPR.				
DATE	09.08.19			

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. D3935	REV. B
TITLE PYLON PROTECTOR	SHEET 1 OF 4
SCALE NTS	

COPYRIGHT © 2009 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3935-2 PYLON WALL PROTECTOR, RH
(TEXTURED SIDE SHOWN)

W/O 61089

RELEASED
2009-10-23
WJ

- NOTES:**
- 1) MATERIAL: F60029-GY3778 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE) 0.125 THICK
REF DART SPEC MLEXS. 125-F60029-04
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3935-2" AND B/N USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT: 5.79 lbs
 - 8) CHECK PER TEMPLATE DT8923

DESIGN		DART AEROSPACE LTD	
DRAWN	<i>JS</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>PH</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>DS</i>	D3935	SHEET 2 OF 4
APPROVED	<i>WJ</i>	TITLE	SCALE
DE APPR.	<i>WJ</i>	PYLON PROTECTOR	NTS
DATE	09.08.19	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries

D3935-3 PYLON WALL PROTECTOR, LH
(TEXTURED SIDE SHOWN)

- NOTES:**
- 1) MATERIAL: F60029-GY3778 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE) 0.125 THICK
REF DART SPEC MLEXS.125-F60029-04
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3935-3" AND B/N USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT: 5.79 lbs
 - 8) CHECK PER TEMPLATE DT9527

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3935 TITLE PYLON PROTECTOR SCALE NTS <small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>
DRAWN		
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		REV. B SHEET 3 OF 4
DATE	09.08.19	

RELEASED
2009-10-23
JWW



0.125
REF


W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3935-4 PYLON WALL PROTECTOR, RH
(TEXTURED SIDE SHOWN)

NOTES:

- 1) MATERIAL: F60029-GY3778 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE) 0.125 THICK
REF DART SPEC MLEXS. 125-F60029-04
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3935-4" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 5.78 lbs
- 8) CHECK PER TEMPLATE DT9528

RELEASED
2009-10-22
MD

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	DRAWING NO. D3935	REV. B
DRAWN				
CHECKED		TITLE PYLON PROTECTOR	SCALE NTS	SHEET 4 OF 4
MFG. APPR.				
APPROVED		COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		
DE APPR.		DATE 09.08.19		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries